

# PAPILIO HECTOR.



## CHARACTER GENERICUS.

*Antennæ* apicem versus crassiores, sæpius clavato-capitatae.

*Alæ* (fedendis) erectæ furfumque conniventes.  
(Volatu diurno.)

*Lin. Syst. Nat.* p. 744.

## CHARACTER SPECIFICUS, &c.

PAPILIO alis caudatis concoloribus nigris; primoribus fascia interrupta alba; posticis maculis lunatis coccineis.

PAPILIO alis caudatis concoloribus nigris: primoribus fascia alba; posticis maculis rubris.

*Lin. Syst. Nat.* p. 745.

## PAPILIO HECTOR.

*Lin. Fabr. Cram. Gmel. &c. &c. &c.*

---

Inter lautissimos papiliones exoticos habetur papilio Hector quem alit India. Tabula cum exhibet magnitudine naturali.







# HECTOR.



## GENERIC CHARACTER.

*Antennæ* thickening towards the upper part, and generally terminating in a knob.

*Wings* (when fitting) erect. (Flight diurnal.)

## SPECIFIC CHARACTER, &c.

BLACK BUTTERFLY with tailed wings: the upper pair marked by a broken white band; the lower by numerous crescent-shaped crimfon spots.

The crimfon-spotted INDIAN BUTTERFLY.

---

This insect is one of the finest of the exotic butterflies, and is a native of India: the plate represents it in its natural size.